


Bathing Water Analysis at Killiney

Between 01/08/2017 And 04/12/2017

E. Coli (cfu/100ml)



Enterococci (cfu/100ml)





Between 01/08/2017 And 04/12/2017

WHAT DO THESE RESULTS MEAN?

Bacteria Name Amount Sampled	E. Coli cfu/100ml	Enterococci cfu/100ml
Excellent Quality	250(*)	100(*)
-		
Good Quality	500(*)	200(*)
Test Date		
01/08/2017	10	1
08/08/2017	10	59
14/08/2017	52	15
21/08/2017	20	20
22/08/2017	10	14
28/08/2017	10	1
04/09/2017	52	5
11/09/2017	20	5
11/09/2017	20	5
03/10/2017	20	2
18/10/2017	189	33
07/11/2017	20	8
20/11/2017	10	32
04/12/2017	10	5

(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli
Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora of both animals and humans. Contamination allows the organism to spread to water environments where its presence indicates faecal contamination.
Enterococci are widely distributed in the environment and are normal commensals of the intestinal tracts of animals, birds and humans. Its presence is indicative of faecal contamination.