


Bathing Water Analysis at Corbawn Strand

Between 01/04/2023 And 03/07/2023

E. Coli (cfu/100ml)



Enterococci (cfu/100ml)

29/05/2023

06/06/2023

19/06/2023

27/06/2023

12/06/2023


03/07/2023

22/05/2023

24/04/2023

08/05/2023

11/04/2023



Page 1 of 2



Bathing Water Analysis at Corbawn Strand

Between 01/04/2023 And 03/07/2023

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
11/04/2023	20	10
24/04/2023	703	640
08/05/2023	52	22
22/05/2023	10	1
29/05/2023	10	6
06/06/2023	30	11
12/06/2023	98	157
19/06/2023	63	22
27/06/2023	10	10
03/07/2023	987	280

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora

of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.