


Bathing Water Analysis at Coliemore Harbour

Between 01/04/2022 And 03/07/2022

E. Coli (cfu/100ml)

EColi — Series2 — Series3





Between 01/04/2022 And 03/07/2022

WHAT DO THESE RESULTS MEAN?

Bacteria Name Amount Sampled	E. Coli cfu/100ml	Enterococci cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
11/04/2022	10	4
25/04/2022	73	13
10/05/2022	31	5
23/05/2022	10	8
31/05/2022	31	22
08/06/2022	31	13
15/06/2022	20	5
21/06/2022	30	11
27/06/2022	10	10
27/06/2022	10	10
03/07/2022	31	23

(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora of both animals and humans. Contamination allows the organism to spread to water environments where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal tracts of animals, birds and humans. Its presence is indicative of faecal contamination.