



Bathing Water Analysis at White Rock

Between 01/07/2022 And 26/09/2022

E. Coli (cfu/100ml)



Enterococci (cfu/100ml)





Bathing Water Analysis at White Rock

Between 01/07/2022 And 26/09/2022

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
03/07/2022	10	5
11/07/2022	135	85
20/07/2022	10	1
25/07/2022	10	22
02/08/2022	31	10
08/08/2022	10	1
15/08/2022	10	14
22/08/2022	85	9
29/08/2022	20	9
02/09/2022	10	4
05/09/2022	247	42
12/09/2022	63	54
26/09/2022	10	14

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora

of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.