


Bathing Water Analysis at Coliemore Harbour


Between 01/04/2023 And 03/07/2023

E. Coli (cfu/100ml)





Enterococci (cfu/100ml)



Page 1 of 2



Bathing Water Analysis at Coliemore Harbour

Between 01/04/2023 And 03/07/2023

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
11/04/2023	10	1
24/04/2023	183	76
08/05/2023	197	140
22/05/2023	203	82
29/05/2023	52	58
06/06/2023	0	0
06/06/2023	20	11
12/06/2023	10	14
19/06/2023	63	28
27/06/2023	350	42
03/07/2023	20	42

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora

of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.