


03/07/2023

17/07/2023

Bathing Water Analysis at Coliemore Harbour

Between 03/07/2023 And 13/09/2023

E. Coli (cfu/100ml)




Enterococci (cfu/100ml)

14/08/2023

28/08/2023

11/09/2023

31/07/2023





Bathing Water Analysis at Coliemore Harbour

Between 03/07/2023 And 13/09/2023

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
03/07/2023	20	42
11/07/2023	52	63
17/07/2023	10	28
24/07/2023	20	22
31/07/2023	10	14
08/08/2023	63	8
14/08/2023	10	8
21/08/2023	226	250
28/08/2023	10	1
04/09/2023	10	19
11/09/2023	171	220
13/09/2023	98	63

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.