



Bathing Water Analysis at Coliemore Harbour

Between 02/06/2025 And 02/09/2025

E. Coli (cfu/100ml)



Enterococci (cfu/100ml)





Bathing Water Analysis at Coliemore Harbour

Between 02/06/2025 And 02/09/2025

WHAT DO THESE RESULTS MEAN?

Bacteria Name	E. Coli	Enterococci
Amount Sampled	cfu/100ml	cfu/100ml
Excellent Quality	250(*)	100(*)
Good Quality	500(*)	200(*)
Test Date		
03/06/2025	20	15
09/06/2025	20	1
13/06/2025	187	49
16/06/2025	10	9
23/06/2025	301	280
26/06/2025	10	6
30/06/2025	20	14
07/07/2025	52	41
14/07/2025	85	60
21/07/2025	24196	2000
28/07/2025	20	1
05/08/2025	97	25
11/08/2025	30	2
21/08/2025	10	8
25/08/2025	85	29
02/09/2025	75	47

^(*) Based upon a 95-percentile evaluation

Blue Flag and Bathing Water Quality

The bathing water is continuously monitored for the different types of bacteria shown in the tables above and is tested at least every 15 days. In this table you can see when the water has been analysed and how many bacteria were found.

A small number of bacteria will tell you that the water is very clean - a high number of bacteria will tell you that the water may be polluted.

E. Coli Escherichia coli is a faecal coliform and indicator organism because it occurs in the intestinal flora

of both animals and humans. Contamination allows the organism to spread to water environments

where its presence indicates faecal contamination.

Enterococci are widely distributed in the environment and are normal commensals of the intestinal

tracts of animals, birds and humans. Its presence is indicative of faecal contamination.